



Memo No: MAM/10/QSS

Date: 24/08/2022

**NOTICE INVITING QUOTATION No.10/2022-2023.**


**Purchase of Sound System for 2<sup>nd</sup> Floor Small Auditorium-cum- Class room**

The Murshidabad Adarsha Mahavidyalaya, Islampur, Murshidabad, West Bengal invites sealed quotations from bonafide suppliers / manufacturers for purchase of **Complete Sound System** in the specified space. Quotations are to be given on or before 30.08.2022 (3:00 p.m.). Quotations will be opened on 30.08.2022 at 4:00 p.m. in the TIC/Principal's chamber. All rates should be quoted including GST. The Details of the **Complete Sound System** are given below:

SL No	Description	Rate offered with GST per Pcs
1.	<b>I8T BOX-WHARFEDALE Company</b> System Type: Passive Configuration: <b>Two</b> way Frequency Response (+/-3dB): 70Hz - 20 kHz 50Hz - 20kHz /Dimensions – Unpacked Height 405mm / 15.8" 405mm / 15.8" Width 270mm / 10.6" 270mm / 10.6" Depth 234mm / 9.2" 234mm / 9.2" IP54 certified	
2.	<b>Ahuja SSA-350 350 Watts High Power PA Amplifier</b> Bass: ±10dB at 100Hz, Treble: ±10dB at 10kHz/ Frequency Response : 50-15,000Hz ±3dB	
3.	<b>Yamaha MG06X 6-Input Compact Stereo Mixer</b> 6-Channel standalone mixer with onboard SPX digital effects (no USB) 3-band EQ and high-pass filters give you maximum control and eliminate	
4.	<b>StuDiomaster XR 40HH UHF Dual Hand Wireless</b> Omni directional Microphone System – Black 6.35 mm Jack Colour: Black	
5.	<b>Ahuja PA Gooseneck Microphone GM 601 LM</b> GM-601LM has a ring LED indication, useful in open conferences.	
6.	<b>Ahuja GMB-6C Microphone Stand</b>	
7.	<b>WHARFEDALE Subwoofer Model: T-Sub-AX15B</b> System Type: Active 15" Subwoofer Frequency Response: (+/-3 dB) 45 Hz-200 Hz Sensitivity @ 1W / 1 m): 97 dB Maximum SPL (peak @ 1 m): 129 dB Size (mm / inches): 404 mm / 15" Continuous power: 700 watts Peak power: 1400 watts	

1. The Product should be brand new.
2. Post installation servicing should be provided during the warranty period, if necessary.
3. Quotations must be accompanied with PAN and GST Registration No.
4. In case of inability of the Agency selected as L1 for supply of instruments/ equipments/ Materials within 15 days from the order, the order may be cancelled and it will be given to the next to L1. Therefore the agency should be providing in written priory about the unavailability of the item or so.
5. Payment will be made as per rules.
6. This notification is uploaded to the website..http://www..murshidabadadarshamahavidyalaya.in
7. Materials should be supplied to the College Premises.
8. Rate should be given following specified Table.

Copy forwarded to information, with the request to publish the notice for publication:  
College Notice Board & Web Site.

  
TEACHER-IN-CHARGE  
MURSHIDABAD  
ADARSHA MAHAVIDYALAYA  
Islampur, Msd.

Signature of Teacher-in-charge